


Howard Ory, M.D. and Ruth Ann Barrett, PDXdowntowner .com




Global Cases Total Cumulative Cases (Oregon) Includes presumptive positive cases 8,367 cumulative cases 1,020 recovered Multnomah County, OR 5,388 cumulative cases 564 recovered Marion County, OR 5,297 cumulative cases 680 recovered Washington County, OR 3,242 cumulative cases 469 recovered Umatilla County, OR



https://experience.arcgis.com/experience/fff9f83827c5461583cd014fdf4587de







https://experience.arcgis.com/experience/fff9f83827c5461583cd014fdf4587de

Positivity Rate

During the week of October 4–October 10, 28,490 Oregonians were tested for COVID-19, and 6.4% of them had a positive result.

Pearl District Zip Code 97209





Covid 19 Cases	and Deaths by Age	e, OHA 10/14/20
age group	% total cases	% total deaths
20-59	68.1%	9.7%
70+	8.4%	74.8%
Covid Case Fat	ality Ratio by Age	
age group	case fatality ratio	
0-39	3/10,000	
40-49	1/500	
50-59	1/100	
60-69	1/33	
70-79	1/12	
80+	1/5	

Survey Results

Social gatherings with a few people are more comon that gatherings with 10 or more people.

66% got together with a few family or friends outside.

52% got together with a few family or friends inside someone's house.

20% attended a social gathering with 10 or more people.


On average, Oregonians take personal protective measures most of the time.




84% wear a mask indoors in public nearly all the time.

75% frequently wash hands nearly all the time.

TESTING FOR COVID-19 NOW AND FOR EVERYBODY (click image to view video)



TESTING in Oregon



https://coronavirus.jhu.edu/testing/stahttps://coronavirus.jhu.edu/testing/states-comparison

Expanded Testing Capacity

Oct. 6, 2020 - Starting this week

Oregon is receiving between 60,000 to 80,000 Abbott BinaxNOW rapid point-of-care antigen tests* per week through end of year, doubling Oregon's testing capacity.

OHA also now recommends testing for anyone who has symptoms of COVID-19

regardless of severity, and all close contacts of those individuals, even if they have no symptoms.

*Rapid antigen tests have strengths and weaknesses.